

# Scope Of Work

# Yurok Tribe

## Playgrounds at all Locations

### **Scope of Work:**

**The chosen contractor will be responsible for demolishing and installation of seven playgrounds at different locations.** This Scope of Work provides a comprehensive overview of the tasks and responsibilities associated with multiple project sites, covering playground equipment installation, site preparation, demolition, compliance, and management aspects. Additional details and specifications may be incorporated as needed to meet the specific requirements of each project site. (Acorn Flat, Klamath Baseball Field, Klamath Townsite, Klamath Emergency Office Service, Wautec Basketball, Wautec Firehouse)

#### **Work items include, but are not limited to the following:**

- **Demolition and Hauling**  
Demolish existing playgrounds at Klamath Baseball Field, Klamath Townsite, Wautec Basketball and Wautec Firehouse playground site. Dispose of debris and waste material in compliance with environmental regulations.
- **Playground Equipment Installation:**  
Install playground equipment at Klamath Baseball, Klamath Townsite, Klamath Office Emergency Services, Acorn Flat, Wautec Basketball and Wautec Firehouse playground site. Including ADA swings at the following location Klamath Glen Basketball Court, Klamath Townsite and Acorn Flat.
- **Site Preparation and Foundation:**  
Prepare all areas for installation, making sure that the ground has proper compaction and leveling of the stone base. Making sure #57 stone 6-inch-thick base material and making sure that all the necessary support is up to standard per accordance with manufacturer specifications at Klamath baseball feild, Klamath Glen basketball court, Klamath Townsite, Klamath Office Emergency Service, Wautec Basketball Court, and Wautec Firehouse playground site.
- **Playground Surfacing:**  
Install rubber mulch playground surfacing 6 inches think at Klamath Baseball Field, Klamath Glen Basketball, and Wautec Firehouse Playground site. Install Pour in Place (PIP) at the following playgrounds Acorn Flat, Wautec Basketball court, Klamath Townsite and Klamath Office Emergency Service.
- 4 playgrounds must be completed in 2024 and rest in 2025.

## BID SCHEDULE

| Item  | Description  | Lump Sum | Amount    |
|---|--|----------|-----------|
| 1   | Demolition and hauling of 4 Playgrounds                                  | Lump Sum | \$        |
| 2   | Klamath Townsite Playground installation with ADA Swing                  | Lump Sum | \$        |
| 3   | Klamath Baseball Playground & Installation                               | Lump Sum |           |
| 4   | Klamath Office Emergency Service Playground & Installation               | Lump Sum |           |
| 5   | Klamath Glen Basketball Playground and ADA Swing & Installation          | Lump Sum |           |
| 6   | Wautec Basketball Playground & Installation                              | Lump Sum |           |
| 7   | Wautec Firehouse Playground site /Swing set & Installation               | Lump Sum |           |
| 8   | Acorn Flat ADA Swing & installation                                      | Lump Sum |           |
| 9   | Site preparation for all playgrounds                                     | Lump Sum |           |
| 10  | Playground surfacing 4 playgrounds with 6 inch think rubber mulch        | Lump Sum |           |
| 11  | Playground surfacing 4 playgrounds with Pour-In-Place                    | Lump Sum |           |
| 12  | Other Bonding  | Lump Sum | \$        |
| 13  | Insurance, Profit & Overhead   | Lump Sum | \$        |
| 14  | Other, please describe:  | Lump Sum | \$        |
| 15  | TERO 5%  | Lump Sum | \$        |
| <b>The Undersigned hereby agrees to perform the foregoing for the lump sum bid of</b> |  |          | <b>\$</b> |
| <b>(            ) DAYS</b>  | <b>Estimated number of calendar days needed to complete construction</b> |          |           |

(The above numbers are for purposes of the Owner's evaluation, only, and do not bind the Owner for such particular payments.)

1. The undersigned has attached the required Contractor Questionnaire, TERO pre-award labor projection form, and Yurok Tribe Indian Preference Certification form - if claiming Indian preference.
2. In submitting this bid, it is understood that the right to reject any and all bids and to waive irregularities in the bidding has been reserved by the Owner.

Bidder Name \_\_\_\_\_

Date \_\_\_\_\_ Phone \_\_\_\_\_

Bidder Address \_\_\_\_\_ City \_\_\_\_\_

\_\_\_\_\_  
Print Name and Title of Authorized Officer

\_\_\_\_\_  
Authorized Officer Signature



# Project Specifications

Adhere to safety regulations and industry standards across all project sites. Obtain necessary permits and approvals for construction activities. Ensure compliance with environmental regulations.

Contractor shall comply with Yurok Tribe Culture Permitting.



Minimize environmental impact during construction by implementing best practice for erosion control and waste management. Dispose of construction waste in accordance with environmental regulations. TERO - compliance with Tribal Employment Right Ordinance (TERO) tax requirements across all project's sites.

Bonding and Insurance- Secure appropriate bonding and insurance coverage for all projects  
Provide proof of bonding and insurance for all projects.

Documentation and Reporting - Maintain comprehensive records of all projects and permits.

35'-2"  
23'-2"

Compliance:  
This play structure has been designed to meet the safety requirements established in:  
- 2010 ADA Standard  
- ASTM F1487  
- CPSC Pub #325  
when the play structure is installed over a properly maintained surfacing material which is in compliance with:  
- ASTM F1292  
- ASTM F1951  
and is appropriate for the highest designated play surface of the structure.




|   |  |  |   |                        |
|---|--|--|---|------------------------|
| Drawing No: ASF-350802<br>Date: 17-11-2023<br>Scale: To Fit |  | Structure Size: 23'-2" x 4'-2" x 8'<br>Recommended Use Zone: 35'-2" x 32'-4"<br>Surface Area: 1188 Sq Ft | HDPS:   | <b>Playground Boss</b> |
|   |  |  | Age Group: 2-12<br>Capacity: 4<br>Weight: 485 lbs |                        |

**Compliance:**

This play structure has been designed to meet the safety requirements established in:

- 2010 ADA Standard
  - ASTM F1487
  - CPSC Pub #325
- when the play structure is installed over a properly maintained surfacing material which is in compliance with:
- ASTM F1292
  - ASTM F1951
- and is appropriate for the highest designated play surface of the structure.



Drawing No: PGB-20231N  
 Date: 28/12/2021  
 Scale: To Fit




Structure Size: 33'-1"X15'-3"X13'-6"  
 Recommended Use Zone: 45'-1"X27'-3"  
 Surface Area: 1288 sq ft


HDPS: 72"  
 Age Group: 2-12  
 Capacity: 53-57  
 Weight: 2426 lbs

# Playground Boss





Compliance:  
 This play structure has been designed to meet the safety requirements established in:  
 - 2010 ADA Standard  
 - ASTM F1487  
 - CPSC Pub #325  
 when the play structure is installed over a properly maintained surfacing material which is in compliance with:  
 - ASTM F1292  
 - ASTM F1951  
 and is appropriate for the highest designated play surface of the structure.



|  |   |   |   |
|--|---|---|---|
| <p>Drawing No: PGB-20221N<br/>         Date: 19/04/2023<br/>         Scale: To Fit</p> |  | <p>Structure Size: 9'-8"X23'-11"X14'-3"<br/>         Recommended Use Zone: 36'-3"X21'-9"<br/>         Surface Area: 814 sq ft</p> | <p>HDPS: 48"<br/>         Age Group: 2-12<br/>         Capacity: 25-29<br/>         Weight: 1125 lbs</p> <h2 style="text-align: center;">Playground Boss</h2> |
|--|---|---|---|

# Top View Detail

45'-1"  
32'



Compliance:  
This play structure has been designed to meet the safety requirements established in:  
- 2010 ADA Standard  
- ASTM F1487  
- CPSC Pub #325  
when the play structure is installed over a properly maintained surfacing material which is in compliance with:  
- ASTM F1292  
- ASTM F1951  
and is appropriate for the highest designated play surface of the structure.

Drawing No: PGB-39483  
Date: 14/11/2022  
Scale: To Fit



Structure Size: 32'-0"X23'-3"X16'-3"  
Recommended Use Zone: 45'-1"X35'-1"  
Surface Area: 1656 Ft

HDPs: 75"  
Age Group: 2-12  
Capacity: 45-49  
Weight: 3500 lbs

## Playground Boss

**Compliance:**


This play structure has been designed to meet the safety requirements established in:

- 2010 ADA Standard
- ASTM F1487
- CPSC Pub #325

when the play structure is installed over a properly maintained surfacing material which is in compliance with:

- ASTM F1292
- ASTM F1951

and is appropriate for the highest designated play surface of the structure.





|  |  |  |  |                          |
|--|--|--|--|--------------------------|
| <p>Drawing No: PGB-20232N</p> <p>Date: 28/12/2021</p> <p>Scale: To Fit</p> |  | <p>Structure Size: 23'-2"X18'-2"X14'-2"</p> <p>Recommended Use Zone: 35'-2"X30'-9"</p> <p>Surface Area: 1116 sq ft</p> | <p>HDPS: 48"</p> <p>Age Group: 2-12</p> <p>Capacity: 36-40</p> <p>Weight: 1757 lbs</p> | <h1>Playground Boss</h1> |
|--|--|--|--|--------------------------|

44'-11"

32'-3"

Compliance:  
 This play structure has been designed to meet the safety requirements established in:  
 - 2010 ADA Standard  
 - ASTM F1487  
 - CPSC Pub #325  
 when the play structure is installed over a properly maintained surfacing material which is in compliance with:  
 - ASTM F1292  
 - ASTM F1951  
 and is appropriate for the highest designated play surface of the structure.



|  |  |   |   |                        |
|--|--|---|---|------------------------|
| Drawing No: PGB-34524<br>Date: 04-11-2020<br>Scale: To Fit |  | Structure Size: 32'-3" x 20'-10" x 15'-11"<br>Recommended Use Zone: 44'-11" x 32'-11"<br>Surface Area: 1485 Sq Ft | HDPS: 5'-6"<br>Age Group: 2-12<br>Capacity: 42-46<br>Weight: 3450 lbs | <b>Playground Boss</b> |
|  |  |   |   |                        |